


GZ<sub>4</sub>-130~400 轴承座(Q/ZB92-73)


| 代号           | 型号                   | D   | L   | B <sub>1</sub> | B   | B <sub>2</sub> | L <sub>1</sub> | L <sub>2</sub> | D <sub>1</sub> | d <sub>1</sub> | 螺钉孔            |    |   | H   | H <sub>1</sub> | 重量<br>公斤 |
|--------------|----------------------|-----|-----|----------------|-----|----------------|----------------|----------------|----------------|----------------|----------------|----|---|-----|----------------|----------|
|              |                      |     |     |                |     |                |                |                |                |                | d <sub>2</sub> | l  | n |     |                |          |
| Q/ZB92.1.00  | GZ <sub>r</sub> -130 | 130 | 350 | 130            | 135 | 174            | 300            | 60             | 160            | 22             | M12            | 30 | 4 | 135 | 40             | 43.6     |
| Q/ZB92.2.00  | GZ <sub>r</sub> -140 | 140 |     |                |     |                |                |                | 6              |                |                |    |   |     |                | 41.7     |
| Q/ZB92.3.00  | GZ <sub>r</sub> -150 | 150 | 400 | 130            | 135 | 180            | 340            | 60             | 200            | 22             | M16            | 30 | 6 | 140 | 50             | 56.0     |
| Q/ZB92.4.00  | GZ <sub>r</sub> -160 | 160 |     |                |     |                |                |                | 40             |                |                |    |   |     |                | 53.9     |
| Q/ZB92.5.00  | GZ <sub>r</sub> -170 | 170 |     |                |     |                |                |                | 40             |                |                |    |   |     |                | 50.8     |
| Q/ZB92.6.00  | GZ <sub>r</sub> -180 | 180 | 460 | 140            | 145 | 190            | 400            | 65             | 225            | 26             | M16            | 40 | 6 | 160 | 60             | 77.2     |
| Q/ZB92.7.00  | GZ <sub>r</sub> -190 | 190 |     |                |     |                |                |                | 235            |                |                |    |   |     |                | 74.6     |
| Q/ZB92.8.00  | GZ <sub>r</sub> -200 | 200 |     |                |     |                |                |                | 240            |                |                |    |   |     |                | 72.2     |
| Q/ZB92.9.00  | GZ <sub>r</sub> -215 | 215 | 530 | 165            | 170 | 215            | 460            | 80             | 260            | 32             | M16            | 40 | 6 | 180 | 70             | 110.0    |
| Q/ZB92.10.00 | GZ <sub>r</sub> -230 | 230 |     |                |     |                |                |                | 270            |                |                |    |   |     |                | 102.3    |
| Q/ZB92.11.00 | GZ <sub>r</sub> -240 | 240 | 560 | 170            | 175 | 231            | 485            | 80             | 290            | 32             | M20            | 50 | 6 | 200 | 70             | 126.4    |
| Q/ZB92.12.00 | GZ <sub>r</sub> -250 | 250 |     |                |     |                |                |                | 300            |                |                |    |   |     |                | 121.4    |
| Q/ZB92.13.00 | GZ <sub>r</sub> -260 | 260 |     |                |     |                |                |                | 310            |                |                |    |   |     |                | 117.5    |
| Q/ZB92.14.00 | GZ <sub>r</sub> -270 | 270 | 650 | 185            | 190 | 246            | 570            | 92             | 320            | 40             | M20            | 50 | 6 | 220 | 80             | 182.2    |
| Q/ZB92.15.00 | GZ <sub>r</sub> -280 | 280 |     |                |     | 248            |                |                | 176.2          |                |                |    |   |     |                |          |
| Q/ZB92.16.00 | GZ <sub>r</sub> -290 | 290 |     |                |     | 350            |                |                | 171.2          |                |                |    |   |     |                |          |
| Q/ZB92.17.00 | GZ <sub>r</sub> -300 | 300 | 680 | 185            | 190 | 252            | 600            | 92             | 360            | 40             | M20            | 50 | 6 | 240 | 90             | 230.0    |
| Q/ZB92.18.00 | GZ <sub>r</sub> -310 | 310 |     |                |     | 254            |                |                | 195.9          |                |                |    |   |     |                |          |
| Q/ZB92.19.00 | GZ <sub>r</sub> -320 | 320 |     |                |     | 380            |                |                | 189.9          |                |                |    |   |     |                |          |
| Q/ZB92.20.00 | GZ <sub>r</sub> -340 | 340 | 780 | 210            | 215 | 279            | 680            | 108            | 400            | 46             | M20            | 50 | 6 | 275 | 100            | 315.9    |
| Q/ZB92.21.00 | GZ <sub>r</sub> -360 | 360 |     |                |     |                |                |                | 420            |                |                |    |   |     |                | 300.9    |
| Q/ZB92.22.00 | GZ <sub>r</sub> -380 | 380 | 880 | 240            | 250 | 314            | 770            | 128            | 440            | 54             | M20            | 50 | 6 | 300 | 110            | 421.0    |
| Q/ZB92.23.00 | GZ <sub>r</sub> -400 | 400 |     |                |     |                |                |                | 460            |                |                |    |   |     |                | 407.7    |